


# Parker+Amchem

HENKEL CORPORATION  
32100 Stephenson Highway  
Madison Heights, Michigan 48071



## MATERIAL SAFETY DATA SHEET

CUSTOMER #

PRODUCT TRADE NAME	PARCO® STRIPPER 2177		
DOT PROPER SHIPPING NAME	Corrosive solid, N.O.I. (contains sodium hydroxide), UN1759, as cleaning compound, N.O.I., OT liquid.		
DOT HAZARD CLASSIFICATION	Corrosive		
TECHNICAL CONTACT (NAME)	Product Acceptance Office		
TELEPHONE NUMBER	(313) 583-9300	EMERGENCY NUMBER	1-517-263-9430

### 1 HAZARDOUS INGREDIENTS

MATERIAL	CAS NO.	CONTENTS (% WT/WT)	HAZARD	TLV/PEL
Sodium Hydroxide	1310-73-2	>60	Corrosive	C 2 mg/m <sup>3</sup> C 2 mg/m <sup>3</sup>

### 2 PHYSICAL DATA

APPEARANCE	White granular solid		
SOLUBILITY IN WATER	Appreciable		
ODOR	None	pH of CONCENTRATE	approx. 13*
SPECIFIC GRAVITY	Not applicable	BOILING POINT, °F.	Not applicable
OTHER:	*(1% solution)		

### 3 FIRE & EXPLOSION DATA

FLASH POINT	None
TEST METHOD	Not applicable
EXTINGUISHING MEDIA	As required to extinguish surrounding fire.
UNUSUAL FIRE OR EXPLOSION HAZARDS	None
SPECIAL FIRE FIGHTING PROCEDURES	None



## 4 REACTIVITY DATA

STABLE ☒

UNSTABLE ☐

### CONDITIONS TO AVOID

Not applicable

### INCOMPATIBLE MATERIALS

Keep separate from acids.

Water added to this chemical may cause localized overheating and splattering.

### HAZARDOUS POLYMERIZATION

WILL OCCUR ☐

WILL NOT OCCUR ☒

### CONDITIONS TO AVOID

Not applicable

### HAZARDOUS DECOMPOSITION PRODUCTS

None

## 5 HEALTH HAZARD DATA

**EYES:** Contact with eyes will cause severe burn and possible blindness.

**SKIN:** Contact with skin or mucous membrane will cause severe burns and possible ulceration.

**INGESTION:** Can result in gastrointestinal damage; burns of the digestive tract.

**INHALATION:** Inhalation of dust can cause injury (burns) to the entire respiratory tract.

No component of this chemical is listed in the NTP Annual Report on Carcinogens, IARC Monographs or is regulated as a carcinogen by OSHA.

Medical Conditions Generally Aggravated by Exposure: Pre-existing eye, skin and respiratory disorders.

## 6 FIRST AID RECOMMENDATIONS

**EYES:** Immediately flush eyes in a directed stream of water for at least 15 minutes while forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. **GET MEDICAL ATTENTION.**

**SKIN:** Immediately remove contaminated clothing and shoes. Flush skin thoroughly with water for at least 15 minutes. Rinse clothing. If irritation persists, **GET MEDICAL ATTENTION.**

**INGESTION:** Drink large quantities of water. **CORROSIVE. DO NOT INDUCE VOMITING.** If vomiting occurs, drink more water. **GET MEDICAL ATTENTION.** Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air and remove contaminated clothing. If breathing is difficult, administer oxygen. If respiration stops, give mouth to mouth resuscitation. **GET MEDICAL ATTENTION.**

## 7 SPILL PROCEDURES & WASTE DISPOSAL

### SPILL PROCEDURES

Wear respiratory protection.  
Wear protective clothing.  
Sweep up or otherwise collect and store in suitable drum.  
Flush the contaminated area with water.

### WASTE TREATMENT

Dispose of in compliance with all applicable federal, state and local regulations.  
This chemical contains a chelating agent.  
This chemical is alkaline. Neutralization may be required prior to discharge to sewer.  
Waste Treatment Information Bulletin No. 1007 (Available on request.)

## 8 PERSONAL PROTECTION

### VENTILATION REQUIREMENTS

GENERAL AREA EXHAUST ☐  
LOCAL EXHAUST ☒  
NO EXHAUST NECESSARY ☐

### PERSONAL PROTECTIVE EQUIPMENT

EYE PROTECTION

Chemical goggles or face shield.

SKIN PROTECTION

Neoprene or polyvinyl gloves and appropriate protective clothing.

RESPIRATORY PROTECTION

MSHA/NIOSH dust filter mask or respirator if dusting occurs.

OTHER REQUIRED EQUIPMENT

Eye wash facility and emergency shower should be in close proximity.

## 9 SPECIAL PRECAUTIONS & STORAGE

DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

For industrial use only.

DO NOT BREATHE DUST.

DO NOT TAKE INTERNALLY.

When making additions to a cold solution, add the dry chemical, slowly, to the surface of the solution while stirring the solution to dissolve the chemical and avoid spattering.

When making additions to a hot solution, add the chemical to cold water with stirring, cool or dilute and pour slowly into the hot solution while stirring the solution.

PREPARED BY Product Acceptance Office DATE 05/24/90 *WJW*

TITLE

### CHEMICAL EMERGENCY TELEPHONE 1-800-424-9300

Conditions: although the information presented herein is to the best of our knowledge true and accurate, no warranty or guarantee, express or implied, whether of merchantability, fitness for any particular purpose or otherwise, is made regarding the information or the performance of any product. In each case we strongly recommend that purchasers before using any product in full production make their individual tests to verify to their own satisfaction whether the product is of acceptable quality and is suited for their specific purposes under their own manufacturing conditions. Further, no representative of ours has any authority to waive or change the foregoing provisions. However, subject to such provisions, our technical personnel are available to assist purchasers in modifying our products for use consistent with their needs and conditions in existence in their business. Nothing contained herein shall be construed as a recommendation to use a product in infringement of any existing patent, and we assume no responsibility or liability for operations which do infringe any such patents. We assume no liability for incidental, consequential or direct damages of any kind, no matter what the cause, including negligence. The above includes confidential and proprietary information of Parker-Acheson and is furnished to you for your use solely on products or processes supplied by us to you and should not be otherwise used or disclosed.